	WHAT IS CLAIMED IS:			
1	1.	A method of detecting an angiogenesis-associated transcript in a cell in		
2	a patient, the method comprising contacting a biological sample from the patient with a			
3	polynucleotide that selectively hybridized to a sequence at least 80% identical to a sequence			
4	as shown in Table 1.			
1	2.	The method of claim 1, wherein the biological sample is a tissue		
2	sample.			
1	3.	The method of claim 1, wherein the biological sample comprises		
_2	isolated nucleic acids.			
	4.	The method of claim 3, wherein the nucleic acids are mRNA.		
⊨: ጠ1	5.	The method of claim 3, further comprising the step of amplifying		
1 2	nucleic acids before the step of contacting the biological sample with the polynucleotide.			
≢ 1≕1	6.	The method of claim 1, wherein the polynucleotide comprises a		
∏ 2	sequence as shown in Table 1.			
	7.	The method of claim 1, wherein the polynucleotide is labeled.		
1	8.	The method of claim 7, wherein the label is a fluorescent label.		
1	9.	The method of claim 1, wherein the polynucleotide is immobilized on		
2	a solid surface.	·		
1	10.	The method of claim 1, wherein the patient is undergoing a therapeutic		
2	regimen to treat a disease associated with angiongenesis.			
1	11.	The method of claim 1, wherein the patient is suspected of having		
2	cancer.			
1	12.	An isolated nucleic acid molecule consisting of a polynucl-otide		
2	sequence as shown in Table 1.			
1	13.	The nucleic acid molecule of claim 12, which is labeled.		

14.

1

The nucleic acid of claim 13, wherein the label is a fluorescent label

1		15.	An expression vector comprising the nucleic acid of claim 12.
1		16.	A host cell comprising the expression vector of claim 15.
1 2	an amino acid		An isolated nucleic acid molecule which encodes a polypeptide having see as shown in Table 2.
-			
1			An isolated polypeptide which is encoded by a nucleic acid molecule
2	having polynu	cleotide	sequence as shown in Table 1.
1		19.	An isolated polypeptide having an amino acid sequence as shown in
2	Table 2.		
		20.	An antibody that specifically binds a polypeptide of claim 19.
1		21.	The antibody of claim 20, further conjugated to an effector component.
1		22.	The antibody of claim 21, wherein the effector component is a
2	fluorescent lal	oel.	
1 1 2		23.	The antibody of claim 21, wherein the effector component is a
2	radioisotope.		
1		24.	The antibody of claim 21, which is an antibody fragment.
1		25.	The antibody of claim 21, which is a humanized antibody
1		26.	A method of detecting a cell undergoing angiogenesis in a biological
2	sample from	a patien	t, the method comprising contacting the biological sample with an
3	antibody of c	laim 20.	
1		27.	The method of claim 26, wherein the antibody is further conjugated to
2	an effector co	mponer	at.
1		- 28.	The method of claim 27, wherein the effector component is a
2	fluorescent la	bel.	

1

- 29. The method of detecting antibodies specific to angiogenesis in a
- 2 patient, the method comprising contacting a biological sample from the patient with a
- 3 polypeptide comprising a sequence as shown in Table 2.